

## PRODUCT GROUP # 17 ROOF VENT FLASHING

# *Roof Vent Flashings*



'B' SERIES EPDM ROOF VENT FLASHINGS		MIN.	SKID
039011	B 1-1/2" FLASHING 20" X 20" APRON	12	504
039021	B 2" FLASHING 20" X 20" APRON	12	504
039031	B 3" FLASHING 20" X 20" APRON	12	504
039041	B 4" FLASHING 20" X 20" APRON	12	504



'A' SERIES ALUMINUM ROOF VENT FLASHINGS		MIN.	SKID
1713011	A 3P RV FLASHING 18" X 18" APRON	12	
1713021	A 4P RV FLASHING 18" X 18" APRON	12	
1771051	A 3PH HIGH DOME RV FLASHING for ABS DWV 20" X 20" APRON	12	144
1771061	A 4PH HIGH DOME RV FLASHING for ABS DWV 20" X 20" APRON	12	144
1771071	A 3CH HIGH DOME RV FLASHING for COPPER DWV 20" X 20" APRON	12	

## WATERLINE Flashings - How to Use

Make sure roof clean and free from any major protrusion before roof covering is installed.

No tar, asphalt-based roof cement or "pitch" should be applied to the collar portion of any EPDM or Thermoplastic flashing.

At the discretion of the installer, silicone sealant can be applied over all exposed nails or staples.

Silicone sealant can also be applied to the underside of the base to increase sealing power to the roof and is recommended in areas where frequent or heavy precipitation is common.

Place correct size WATERLINE flashing over vent stack with angle facing down slope of the roof. Push firmly to base of stack until flashing lies flat on the roof. Flashing size should be equivalent to pipe diameter size (i.e. 1.5" flashing for 1.5" pipe, 2" flashing for 2" pipe size, etc....).

Using corrosion resistant nails or staples, secure the top of the flashing (the end closes to the crest of the roof) at each corner and along the sides at 4" - 6" intervals to secure flashing to the roof. One nail or staple in each bottom corner is appropriate. The top of the flashing will be covered one-quarter to one-half of the way down with roofing shingles. The bottom edge of the flashing should overlap the shingles beneath it so it sheds, not traps water.

WATERLINE Plastic flashings are designed to fit roof angles from flat to 45 degrees.