

# Cold expansion tools, valves, expansion rings and fittings







# Cold expansion tools, valves, expansion rings and fittings





## What To Know About Cold Expansion

- Due to the shape memory of PEX, as the PEX contracts, it will increase the strength of the connection.
- The fittings have virtually the same inside diameter as the pipe, creating less flow restriction.
- If the expansion tool does not have autorotation built in, there is an extra step of manually rotating the tool between expansions.
- In cold conditions, you need to be careful to not over-expand the pipe, because the pipe will take longer to contract.



## **Cold·X Cold Expansion System Benefits**

- Greater flow rate than crimp, clamp or push fit connections
- Cold expansion connection continues to strengthen over time
- Notch on Cold·X rings ensure a consistently proper fit
- The Cold-X fittings are able to be integrated with any existing cold expansion system
- Cold ·X is very competitively priced to other cold expansion programs in the marketplace
- Certified to ASTM F1960 or NSF SE 7956



### **Cold·X Cold Expansion Tools**



Model # 2532121 Article # 1001070373 Suitable for with ½", ¾" and 1" heads



Model # 2532125 Article # 1001066150 ½" Cold·X Expander Tool Head



Model # 2532126 Article # 1001066161 ¾" Cold·X Expander Tool Head



#### **Cold·X Cold Expansion Tools**

- The Cold-X pipe expansion tool is the handiest way to expand pipe
- The Cold-X expansion tool are also compatible with leading OEM cold expansion power tools
- The Cold-X expansion tool features tool-hardened heads, providing a more consistent and even expansion of the tubing



### **Cold·X Cold Expansion Rings**



1/2" Cold-X Expansion Rings Model # 2592012 12 pack 50 pack Model # 2538012

Article # 1001070381 Article # 1001066219



34" Cold-X Expansion Rings 6 pack Model # 2592012 25 pack Model # 2538012

Article # 1001070381 Article # 1001066219



#### **Cold-X Cold Expansion Rings**

• The Cold-X expansion rings include an internal notch to ensure that the rings do not slide past the fitting

- Store at 13°Celsius or greater for best results
- NSF approved



#### **Cold·X Cold Expansion Plastic Fittings**



Cold·X Plastic Elbows½" ElbowModel # 2592144¾" ElbowModel # 2592166

Article # 1001070370 Article # 1001070369



Cold·X Plastic Couplings½" CouplingModel# 2592444¾" CouplingModel# 2592166

Article# 1001070368 Article# 1001070957



#### **Cold-X Cold Expansion Plastic Fittings**



#### Cold-X Plastic Tees 1/2" Tee Model # 2592104 <sup>3</sup>/<sub>4</sub>" Tee Model # 2592106 <sup>3</sup>/<sub>4</sub>" x <sup>3</sup>/<sub>4</sub>" x <sup>1</sup>/<sub>4</sub>" Model # 2592664 Article # 1001065341

Article # 1001070956 Article # 1001070375



**Cold**·X Plastic Plugs ½" Plug Model # 2592050 Article # 1001070367 <sup>3</sup>/<sub>4</sub>" Elbow Model # 2592075 Article # 1001070372



#### **Cold-X Cold Expansion LF Brass Fittings**



Cold-X Male Sweat Brass Adaptor <sup>1</sup>/<sub>2</sub>" MPT Model # 2589244 3/2" MPT Model # 2589266 Article # 1001070383

Article # 1001070377



Cold-X Female Sweat Brass Adaptor %" FPT Model # 2589344 Article # 1001070376 <sup>3</sup>⁄<sub>4</sub>" FPT Model # 2589366 Article # 1001070383



#### **Cold-X Cold Expansion LF Brass Fittings**



 Cold·X MPT Threaded Male Brass Adaptor

 ½" MPT
 Model # 2589044
 Article # 1001070382

 ¾" MPT
 Model # 2589066
 Article # 1001070380

Cold·X FPT Threaded Female Brass Adaptor ½" FPT Model # 2589344 Article # 1001070376

Cold·X FPT Drop Ear Brass Elbow ½" FPT Model # 2589340 Article # 1001070384



#### **Cold·X Cold Expansion LF Ball Valves**



Cold·X Brass Ball Valves½" ValveModel # 2538004¾" ValveModel # 2538006

Article # 1001065340 Article # 1001065339



#### Cold-X Cold Expansion LF Stop Valves



Cold·X ½" PEX x ¾" Comp Angle Valve Model # 2538543 Article # 1001065342



Cold·X ½" PEX x ¾" Comp Straight Valve Model # 2538443 Article # 1001070955



#### Warranty Information

The Cold-X Warranty applies for the lifetime of the system in which any Cold-X fittings are installed. This is defined as the lessor of 25 years or whenever the system is replaced or materially changed. There is no specified requirement for installers to be trained, but the warranty requires that the fittings be installed properly.

The use of any Cold-X fittings **DOES NOT** void any other manufacturers warranty on existing cold expansion systems.

For a full listing of the Cold·X Warranty, please contact Waterline at (905) 453-2400.







